

GuangZhou KOVO Optoelectronic Industrial CO.,LTD
Address: KOVO Building, No.5, Longkou Street, Chebei Town,
Tianhe District, GuangZhou



Quotation Number:


date


Purchasing Company


Contact:


City:


	E-mail:		Phone:	
	QQ		Wechat:	


Product image	square panel light (embedded, diver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-FX-W06/02	85-265	6	3000/4000/6000	80-90	>0.5	>70	\$ 2,599
	GS-MB-FX-W12/02	85-265	12	3000/4000/6000	80-90	>0.5	>70	\$ 4,249
	GS-MB-FX-W18/02	85-265	18	3000/4000/6000	80-90	>0.5	>70	\$ 5,808
	GS-MB-FX-W24/02	85-265	24	3000/4000/6000	80-90	>0.5	>70	\$ 7,513


Product image	round panel light (embedded, driver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-YX-W06/02	85-265	6	3000/4000/6000	80-90	>0.5	>70	\$ 2,416
	GS-MB-YX-W12/02	85-265	12	3000/4000/6000	80-90	>0.5	>70	\$ 4,066
	GS-MB-YX-W18/02	85-265	18	3000/4000/6000	80-90	>0.5	>70	\$ 5,441
	GS-MB-YX-W24/02	85-265	24	3000/4000/6000	80-90	>0.5	>70	\$ 7,146


Product image	square surface mounted light (driver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-FX-W06-M/02	85-265	6	3000/4000/6000	80-90	>0.5	>70	\$ 2,691
	GS-MB-FX-W12-M/02	85-265	12	3000/4000/6000	80-90	>0.5	>70	\$ 4,579
	GS-MB-FX-W18-M/02	85-265	18	3000/4000/6000	80-90	>0.5	>70	\$ 6,046
	GS-MB-FX-W24-M/02	85-265	24	3000/4000/6000	80-90	>0.5	>70	\$ 7,916


Product image	round surface mounted light (driver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-YX-W06-M/02	85-265	6	3000/4000/6000	80-90	>0.5	>70	\$ 2,691
	GS-MB-YX-W12-M/02	85-265	12	3000/4000/6000	80-90	>0.5	>70	\$ 4,579
	GS-MB-YX-W18-M/02	85-265	18	3000/4000/6000	80-90	>0.5	>70	\$ 6,046
	GS-MB-YX-W24-M/02	85-265	24	3000/4000/6000	80-90	>0.5	>70	\$ 7,916


Product image	square panel light (embedded, driver inside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-FX-N06/02	85-265	6	3000/4000/6000	>70	>0.5	>70	\$ 2,186
	GS-MB-FX-N12/02	85-265	12	3000/4000/6000	>70	>0.5	>70	\$ 3,666
	GS-MB-FX-N18/02	85-265	18	3000/4000/6000	>70	>0.5	>70	\$ 4,322
	GS-MB-FX-N24/02	85-265	24	3000/4000/6000	>70	>0.5	>70	\$ 5,985


Product image	round panel light (embedded, driver inside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-YX-N06/02	85-265	6	3000/4000/6000	>70	>0.5	>70	\$ 2,111
	GS-MB-YX-N12/02	85-265	12	3000/4000/6000	>70	>0.5	>70	\$ 3,536
	GS-MB-YX-N18/02	85-265	18	3000/4000/6000	>70	>0.5	>70	\$ 4,189
	GS-MB-YX-N24/02	85-265	24	3000/4000/6000	>70	>0.5	>70	\$ 5,570


Product image	square surface mounted light (driver inside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-FX-N06-M/02	85-265	6	3000/4000/6000	>70	>0.5	>70	\$ 2,446
	GS-MB-FX-N12-M/02	85-265	12	3000/4000/6000	>70	>0.5	>70	\$ 3,969
	GS-MB-FX-N18-M/02	85-265	18	3000/4000/6000	>70	>0.5	>70	\$ 4,670
	GS-MB-FX-N24-M/02	85-265	24	3000/4000/6000	>70	>0.5	>70	\$ 6,220


Product image	round surface mounted light (driver inside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-MB-YX-N06-M/02	85-265	6	3000/4000/6000	>70	>0.5	>70	\$ 2,324
	GS-MB-YX-N12-M/02	85-265	12	3000/4000/6000	>70	>0.5	>70	\$ 3,815
	GS-MB-YX-N18-M/02	85-265	18	3000/4000/6000	>70	>0.5	>70	\$ 4,466
	GS-MB-YX-N24-M/02	85-265	24	3000/4000/6000	>70	>0.5	>70	\$ 5,733

Product image	round panel light (embedded, driver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	KG-MB-Y-3W	200-240	3	3000/4000/6000	>50	>0.5	>70	\$ 0,836
	KG-MB-Y-6W	200-240	6	3000/4000/6000	>50	>0.5	>70	\$ 1,155
	KG-MB-Y-9W	200-240	9	3000/4000/6000	>50	>0.5	>70	\$ 1,287
	KG-MB-Y-12W	200-240	12	3000/4000/6000	>50	>0.5	>70	\$ 1,540
	KG-MB-Y-15W	200-240	15	3000/4000/6000	>50	>0.5	>70	\$ 1,683
	KG-MB-Y-18W	200-240	18	3000/4000/6000	>50	>0.5	>70	\$ 1,914
	KG-MB-Y-24W	200-240	24	3000/4000/6000	>50	>0.5	>70	\$ 3,410


Product image	square panel light (embedded, diver outside)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	KG-MB-F-3W	200-240	3	3000/4000/6000	>50	>0.5	>70	\$ 0,821
	KG-MB-F-6W	200-240	6	3000/4000/6000	>50	>0.5	>70	\$ 1,150
	KG-MB-F-9W	200-240	9	3000/4000/6000	>50	>0.5	>70	\$ 1,437
	KG-MB-F-12W	200-240	12	3000/4000/6000	>50	>0.5	>70	\$ 1,626
	KG-MB-F-18W	200-240	18	3000/4000/6000	>50	>0.5	>70	\$ 1,921
	KG-MB-F-24W	200-240	24	3000/4000/6000	>50	>0.5	>70	\$ 3,366


Product image	two in one surface-mounted light frame (round)						Unit Price (US\$ with VAT)
	model	aplicable scope(watt)	materials	diameter	thickness	metal holder s	
	KG-Y-3W	3	fire-retardant plastic			✓	\$ -
	KG-Y-6W	6				✓	\$ -
	KG-Y-9W	9				✓	\$ -
	KG-Y-12W	12				✓	\$ -
	KG-Y-15W	15				✓	\$ -
	KG-Y-18W	18				✓	\$ -
	KG-Y-24W	24				✓	\$ -


Product image	two in one surface-mounted light frame(aquare)						Unit Price (US\$ with VAT)
	model	aplicable scope(watt)	materials	size	thickness	metal holder s	
	KG-F-3W	3	fire-retardant plastic			√	\$ -
	KG-F-6W	6				√	\$ -
	/	/				/	\$ -
	KG-F-12W	12				√	\$ -
	/	/				/	\$ -
	KG-F-18W	18				√	\$ -
	KG-F-24W	24				√	\$ -


Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	KG-TD-5W	200-240	5	3000/4000/6000	>70	>0.5	>70	\$ 0,847
	KG-TD-8W	200-240	8	3000/4000/6000	>70	>0.5	>70	\$ 0,968
	KG-TD-12W	200-240	12	3000/4000/6000	>70	>0.5	>70	\$ 1,287
	KG-TD-15W	200-240	15	3000/4000/6000	>70	>0.5	>70	\$ 1,463
	KG-TD-18W	200-240	18	3000/4000/6000	>70	>0.5	>70	\$ 1,760


	KG-TD-24W	200-240	24	3000/4000/6000	>70	>0.5	>70	\$ 2,442
--	------------------	---------	----	----------------	-----	------	-----	-----------------


Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-TDYB-HD-6W	175-265V	6	3000/4000/6000	95	>0.5	>80	\$ 1,540
	GS-TDYB-HD-9W	175-265V	9	3000/4000/6000	95	>0.5	>80	\$ 2,090
	GS-TDYB-HD-12W	175-265V	12	3000/4000/6000	95	>0.5	>80	\$ 2,750
	GS-TDYB-HD-18W	175-265V	18	3000/4000/6000	95	>0.5	>80	\$ 3,850
	GS-TDYB-HD-25W	175-265V	25	3000/4000/6000	95	>0.5	>80	\$ 5,885

Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-TD-HD-6W	175-265V	6	3000/4000/6000	95	>0.5	>80	\$ 1,540
	GS-TD-HD-9W	175-265V	9	3000/4000/6000	95	>0.5	>80	\$ 2,002
	GS-TD-HD-12W	175-265V	12	3000/4000/6000	95	>0.5	>80	\$ 2,486
	GS-TD-HD-18W	175-265V	18	3000/4000/6000	95	>0.5	>80	\$ 3,091
	GS-TD-HD-25W	175-265V	25	3000/4000/6000	95	>0.5	>80	\$ 5,940

Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-COB1-HD-12W	175-265V	12	3000/4000/6000	95	>0.5	>80	\$ 5,060
	GS-COB1-HD-20W	175-265V	20	3000/4000/6000	95	>0.5	>80	\$ 6,721
	GS-COB1-HD-30W	175-265V	30	3000/4000/6000	95	>0.5	>80	\$ 9,625
	GS-COB1-HD-40W	175-265V	40	3000/4000/6000	95	>0.5	>80	\$ 1,210

Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-COB-HD-5W	175-265V	5	3000/4000/6000	95	>0.5	>80	\$ 2,728
	GS-COB-HD-7W	175-265V	7	3000/4000/6000	95	>0.5	>80	\$ 3,091
	GS-COB-HD-12W	175-265V	12	3000/4000/6000	95	>0.5	>80	\$ 4,301
	GS-COB-HD-20W	175-265V	20	3000/4000/6000	95	>0.5	>80	\$ 5,973
	GS-COB-HD-30W	175-265V	30	3000/4000/6000	95	>0.5	>80	\$ 8,173


Product image	down light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-TD-HD-J6W	175-265V	6	3000/4000/6000	90	>0.5	>80	\$ 1,397
	GS-TD-HD-J8W	175-265V	8	3000/4000/6000	90	>0.5	>80	\$ 1,881
	GS-TD-HD-J9W	175-265V	9	3000/4000/6000	90	>0.5	>80	\$ 2,063

Product image	down light(dimming)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	PF	CRI	
	GS-TD-HD-Y6W	175-265V	6	3000/4000/6000	90	>0.5	>80	\$ 1,639
	GS-TD-HD-Y8W	175-265V	8	3000/4000/6000	90	>0.5	>80	\$ 2,123





GS-TD-HD-Y9W	175-265V	9	3000/4000/6000	90	>0.5	>80
---------------------	----------	---	----------------	----	------	-----

\$ 2,310


Product image	ceiling light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	
	GS-DBM-Z-20W	175-265V	20	3000/4000/6000	95	300*300	>80	\$ 4,301


Product image	ceiling light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	

	GS-DBM-Z-38W	175-265V	38	3000/4000/6000	95	600*300	>80	\$ 8,778
---	---------------------	----------	----	----------------	----	---------	-----	-----------------


Product image	ceiling light							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	
	GS-DBM-Z-55W	175-265V	55	3000/4000/6000	90	600*600	>80	\$ 11,561

Product image	ceiling light (slim style)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	

	GS-DBM-C-8W	175-265V	8	3000/4000/6000	80—85	300*300	>80	\$ 4,433
---	--------------------	----------	---	----------------	-------	---------	-----	-----------------

Product image	ceiling light (slim style)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	
	GS-DBM-C-16W	175-265V	16	3000/4000/6000	80—85	600*300	>80	\$ 7,227

Product image	ceiling light (slim style)							Unit Price (US\$ with VAT)
	model	Input Power	Watts	CCT (K)	lumen/w	Dimension (mm)	CRI	

	GS-DBM-C-36W	175-265V	36	3000/4000/6000	80—85	600*600	>80	\$ 14,938
---	---------------------	----------	----	----------------	-------	---------	-----	------------------